

**SB X7-7 Table 0: Units of Measure Used in UWMP\***

*(select one from the drop down list)*

Acre Feet

\**The unit of measure must be consistent with Table 2-3*

NOTES:

**SB X7-7 Table-1: Baseline Period Ranges**

Baseline	Parameter	Value	Units
10- to 15-year baseline period	2008 total water deliveries	9,299	Acre Feet
	2008 total volume of delivered recycled water	457	Acre Feet
	2008 recycled water as a percent of total deliveries	4.91%	Percent
	Number of years in baseline period	10	Years
	Year beginning baseline period range	1996	
	Year ending baseline period range	2005	
5-year baseline period	Number of years in baseline period	5	Years
	Year beginning baseline period range	2004	
	Year ending baseline period range	2008	

**SB X7-7 Table 2: Method for Population Estimates**

<b>Method Used to Determine Population</b> (may check more than one)	
<input type="checkbox"/>	<b>1. Department of Finance (DOF)</b> DOF Table E-8 (1990 - 2000) and (2000-2010) and DOF Table E-5 (2011 - 2015) when available
<input type="checkbox"/>	<b>2. Persons-per-Connection Method</b>
<input checked="" type="checkbox"/>	<b>3. DWR Population Tool</b>
<input type="checkbox"/>	<b>4. Other</b> DWR recommends pre-review

NOTES:

**SB X7-7 Table 3: Service Area Population**

Year	Population
10 to 15 Year Baseline Population	
Year 1	1996
Year 2	1997
Year 3	1998
Year 4	1999
Year 5	2000
Year 6	2001
Year 7	2002
Year 8	2003
Year 9	2004
Year 10	2005
Year 11	
Year 12	
Year 13	
Year 14	
Year 15	
5 Year Baseline Population	
Year 1	2004
Year 2	2005
Year 3	2006
Year 4	2007
Year 5	2008
2015 Compliance Year Population	
2015	59,331
NOTES: Calculated using the State's WUE data for the City of Lakewood.	

**SB X7-7 Table 4: Annual Gross Water Use \***

Baseline Year Fm SB X7-7 Table 3	Volume Into Distribution System <i>This column will remain blank until SB X7-7 Table 4-A is completed.</i>	Deductions					Annual Gross Water Use
		Exported Water	Change in Dist. System Storage (+/-)	Indirect Recycled Water <i>This column will remain blank until SB X7-7 Table 4-B is completed.</i>	Water Delivered for Agricultural Use	Process Water <i>This column will remain blank until SB X7-7 Table 4-D is completed.</i>	
<b>10 to 15 Year Baseline - Gross Water Use</b>							
Year 1	1996	7,080	0	0	0	0	7,080
Year 2	1997	7,367	0	0	0	0	7,367
Year 3	1998	6,480	0	0	0	0	6,480
Year 4	1999	6,735	0	0	0	0	6,735
Year 5	2000	7,089	0	0	0	0	7,089
Year 6	2001	6,680	0	0	0	0	6,680
Year 7	2002	7,142	0	0	0	0	7,142
Year 8	2003	6,946	0	0	0	0	6,946
Year 9	2004	7,386	0	0	0	0	7,386
Year 10	2005	6,757	0	0	0	0	6,757
Year 11	0	0		0		0	0
Year 12	0	0		0		0	0
Year 13	0	0		0		0	0
Year 14	0	0		0		0	0
Year 15	0	0		0		0	0
<b>10 - 15 year baseline average gross water use</b>							<b>6,966</b>
<b>5 Year Baseline - Gross Water Use</b>							
Year 1	2004	6,735	0	0	0	0	6,735
Year 2	2005	7,089	0	0	0	0	7,089
Year 3	2006	6,680	0	0	0	0	6,680
Year 4	2007	7,142	0	0	0	0	7,142
Year 5	2008	6,946	0	0	0	0	6,946
<b>5 year baseline average gross water use</b>							<b>6,919</b>
<b>2015 Compliance Year - Gross Water Use</b>							
<b>2015</b>	<b>6,582</b>	1,117		0		0	<b>6,582</b>

**SB X7-7 Table 4-A: Volume Entering the Distribution System(s)**

Complete one table for each source.

Name of Source	Groundwater		
<b>This water source is:</b>			
<input checked="" type="checkbox"/>	The supplier's own water source		
<input type="checkbox"/>	A purchased or imported source		
Baseline Year <i>Fm SB X7-7 Table 3</i>	Volume Entering Distribution System	Meter Error Adjustment* <i>Optional (+/-)</i>	Corrected Volume Entering Distribution System
<b>10 to 15 Year Baseline - Water into Distribution System</b>			
Year 1	1996	7,080.11	7,080
Year 2	1997	7,367.01	7,367
Year 3	1998	6,480.33	6,480
Year 4	1999	6,735.24	6,735
Year 5	2000	7,089.11	7,089
Year 6	2001	6,680.26	6,680
Year 7	2002	7,142.09	7,142
Year 8	2003	6,946.16	6,946
Year 9	2004	7,386.00	7,386
Year 10	2005	6,757.23	6,757
Year 11	0		0
Year 12	0		0
Year 13	0		0
Year 14	0		0
Year 15	0		0
<b>5 Year Baseline - Water into Distribution System</b>			
Year 1	2004	6,735.24	6,735
Year 2	2005	7,089.11	7,089
Year 3	2006	6,680.26	6,680
Year 4	2007	7,142.09	7,142
Year 5	2008	6,946.16	6,946
<b>2015 Compliance Year - Water into Distribution System</b>			
<b>2015</b>	6,582		6,582
* Meter Error Adjustment - See guidance in Methodology 1, Step 3 of Methodologies Document			
NOTES:			

**SB X7-7 Table 4-C.1: Process Water Deduction Eligibility**
**Criteria 1**

Industrial water use is equal to or greater than 12% of gross water use

<b>Baseline Year</b> <i>Fm SB X7-7 Table 3</i>	Gross Water Use Without Process Water Deduction	Industrial Water Use	Percent Industrial Water	Eligible for Exclusion Y/N
<b>10 to 15 Year Baseline - Process Water Deduction Eligibility</b>				
Year 1	1996	7,080	0.00%	NO
Year 2	1997	7,367	0.00%	NO
Year 3	1998	6,480	0.00%	NO
Year 4	1999	6,735	0.00%	NO
Year 5	2000	7,089	0.00%	NO
Year 6	2001	6,680	0.00%	NO
Year 7	2002	7,142	0.00%	NO
Year 8	2003	6,946	0.00%	NO
Year 9	2004	7,386	0.00%	NO
Year 10	2005	6,757	0.00%	NO
Year 11	0	0		NO
Year 12	0	0		NO
Year 13	0	0		NO
Year 14	0	0		NO
Year 15	0	0		NO
<b>5 Year Baseline - Process Water Deduction Eligibility</b>				
Year 1	2004	6,735	0.00%	NO
Year 2	2005	7,089	0.00%	NO
Year 3	2006	6,680	0.00%	NO
Year 4	2007	7,142	0.00%	NO
Year 5	2008	6,946	0.00%	NO
<b>2015 Compliance Year - Process Water Deduction Eligibility</b>				
<b>2015</b>	5,465		0.00%	NO
NOTES:				

**SB X7-7 Table 4-C.2: Process Water Deduction Eligibility**
**Criteria 2**

Industrial water use is equal to or greater than 15 GPCD

<b>Baseline Year</b> <i>Fm SB X7-7 Table 3</i>	Industrial Water Use	Population	Industrial GPCD	Eligible for Exclusion Y/N
<b>10 to 15 Year Baseline - Process Water Deduction Eligibility</b>				
Year 1	1996	57,174	0	NO
Year 2	1997	57,460	0	NO
Year 3	1998	57,747	0	NO
Year 4	1999	58,033	0	NO
Year 5	2000	58,320	0	NO
Year 6	2001	58,458	0	NO
Year 7	2002	58,597	0	NO
Year 8	2003	58,735	0	NO
Year 9	2004	58,874	0	NO
Year 10	2005	59,012	0	NO
<i>Year 11</i>	0	0		NO
<i>Year 12</i>	0	0		NO
<i>Year 13</i>	0	0		NO
<i>Year 14</i>	0	0		NO
<i>Year 15</i>	0	0		NO
<b>5 Year Baseline - Process Water Deduction Eligibility</b>				
Year 1	2004	58,874	0	NO
Year 2	2005	59,012	0	NO
Year 3	2006	59,150	0	NO
Year 4	2007	59,289	0	NO
Year 5	2008	59,427	0	NO
<b>2015 Compliance Year - Process Water Deduction Eligibility</b>				
<b>2015</b>		59,331	0	NO
NOTES:				

## **SB X7-7 Table 4-C.3: Process Water Deduction Eligibility**

### Criteria 3

Non-industrial use is equal to or less than 120 GPCD

**SB X7-7 Table 4-C.4: Process Water Deduction Eligibility****Criteria 4**

Disadvantaged Community

Use IRWM DAC Mapping tool [http://www.water.ca.gov/irwm/grants/resources\\_dac.cfm](http://www.water.ca.gov/irwm/grants/resources_dac.cfm)

California Median Household Income	Service Area Median Household Income	Percentage of Statewide Average	Eligible for Exclusion? Y/N
2015 Compliance Year - Process Water Deduction Eligibility			
2010	\$53,046	\$79,113	149.14% NO

A "Disadvantaged Community" is a community with a median household income less than 80 percent of the statewide average.

NOTES: Median household income (in 2014 dollars), 2010-2014 from US Census at <http://www.census.gov/quickfacts/table/PST045215/0639892>

**SB X7-7 Table 5: Gallons Per Capita Per Day (GPCD)**

Baseline Year <i>Fm SB X7-7 Table 3</i>	Service Area Population <i>Fm SB X7-7 Table 3</i>	Annual Gross Water Use <i>Fm SB X7-7 Table 4</i>	Daily Per Capita Water Use (GPCD)
<b>10 to 15 Year Baseline GPCD</b>			
Year 1	1996	57,174	7,080
Year 2	1997	57,460	7,367
Year 3	1998	57,747	6,480
Year 4	1999	58,033	6,735
Year 5	2000	58,320	7,089
Year 6	2001	58,458	6,680
Year 7	2002	58,597	7,142
Year 8	2003	58,735	6,946
Year 9	2004	58,874	7,386
Year 10	2005	59,012	6,757
<i>Year 11</i>	0	0	0
<i>Year 12</i>	0	0	0
<i>Year 13</i>	0	0	0
<i>Year 14</i>	0	0	0
<i>Year 15</i>	0	0	0
<b>10-15 Year Average Baseline GPCD</b>			<b>107</b>
<b>5 Year Baseline GPCD</b>			
Baseline Year <i>Fm SB X7-7 Table 3</i>	Service Area Population <i>Fm SB X7-7 Table 3</i>	Gross Water Use <i>Fm SB X7-7 Table 4</i>	Daily Per Capita Water Use
Year 1	2004	58,874	6,735
Year 2	2005	59,012	7,089
Year 3	2006	59,150	6,680
Year 4	2007	59,289	7,142
Year 5	2008	59,427	6,946
<b>5 Year Average Baseline GPCD</b>			<b>104</b>
<b>2015 Compliance Year GPCD</b>			
<b>2015</b>	59,331	6,582	99
NOTES:			

**SB X7-7 Table 6:** Gallons per Capita per Day*Summary From Table SB X7-7 Table 5*

10-15 Year Baseline GPCD	107
5 Year Baseline GPCD	104
2015 Compliance Year GPCD	99
NOTES:	

**SB X7-7 Table 7: 2020 Target Method***Select Only One*

Target Method	Supporting Documentation	
<input checked="" type="checkbox"/>	Method 1	SB X7-7 Table 7A
<input type="checkbox"/>	Method 2	SB X7-7 Tables 7B, 7C, and 7D <i>Contact DWR for these tables</i>
<input type="checkbox"/>	Method 3	SB X7-7 Table 7-E
<input type="checkbox"/>	Method 4	Method 4 Calculator

NOTES:

**SB X7-7 Table 7-A: Target Method 1**

20% Reduction

10-15 Year Baseline	GPCD	2020 Target GPCD
107		85
NOTES:		

**SB X7-7 Table 7-F: Confirm Minimum Reduction for 2020 Target**

5 Year Baseline GPCD <i>From SB X7-7 Table 5</i>	Maximum 2020 Target <sup>1</sup>	Calculated 2020 Target <sup>2</sup>	Confirmed 2020 Target
104	99	99	99

<sup>1</sup> Maximum 2020 Target is 95% of the 5 Year Baseline GPCD  
<sup>2</sup> 2020 Target is calculated based on the selected Target Method, see SB X7-7 Table 7 and corresponding tables for agency's calculated target.

**SB X7-7 Table 8: 2015 Interim Target GPCD**

Confirmed 2020 Target <i>Fm SB X7-7 Table 7-F</i>	10-15 year Baseline GPCD <i>Fm SB X7-7 Table 5</i>	2015 Interim Target GPCD
99	107	103

SB X7-7 Table 9: 2015 Compliance

Actual 2015 GPCD	2015 Interim Target GPCD	Optional Adjustments ( <i>in GPCD</i> )					Adjusted 2015 GPCD (Adjusted if applicable)	Did Supplier Achieve Targeted Reduction for 2015?		
		Enter "0" if No Adjustment			TOTAL Adjustments	Adjusted 2015 GPCD				
		Extraordinary Events	Weather Normalization	Economic Adjustment						
99	103	<i>From Methodology 8 (Optional)</i>	<i>From Methodology 8 (Optional)</i>	<i>From Methodology 8 (Optional)</i>	0	99	99.03812357	YES		