

SB X7-7 Table 0: Units of Measure Used in 2020 UWMP*
(select one from the drop down list)

Acre Feet

**The unit of measure must be consistent throughout the UWMP, as reported in Submittal Table 2-3.*

NOTES:

SB X7-7 Table 2: Method for 2020 Population Estimate

| Method Used to Determine 2020 Population (may check more than one) | |
|--|--|
| <input type="checkbox"/> | 1. Department of Finance (DOF) or American Community Survey (ACS) |
| <input type="checkbox"/> | 2. Persons-per-Connection Method |
| <input checked="" type="checkbox"/> | 3. DWR Population Tool |
| <input type="checkbox"/> | 4. Other DWR recommends pre-review |
| NOTES: | |

SB X7-7 Table 3: 2020 Service Area Population

2020 Compliance Year Population

| | |
|-------------|--------|
| 2020 | 59,465 |
|-------------|--------|

NOTES:

SB X7-7 Table 4: 2020 Gross Water Use

| Compliance Year 2020 | 2020 Volume Into Distribution System <i>This column will remain blank until SB X7-7 Table 4-A is completed.</i> | 2020 Deductions | | | | | 2020 Gross Water Use |
|-------------------------|---|---------------------|---|---|---|--|-------------------------|
| | | Exported Water * | Change in Dist. System Storage* (+/-) | Indirect Recycled Water <i>This column will remain blank until SB X7-7 Table 4-B is completed.</i> | Water Delivered for Agricultural Use* | Process Water <i>This column will remain blank until SB X7-7 Table 4-D is completed.</i> | |
| | 8,025 | 991 | - | - | - | - | 7,034 |

* Units of measure (AF, MG , or CCF) must remain consistent throughout the UWMP, as reported in SB X7-7 Table 0 and Submittal Table 2-3.

NOTES:

**SB X7-7 Table 4-A: 2020 Volume Entering the Distribution System(s),
Meter Error Adjustment**

Complete one table for each source.

| Name of Source | | Groundwater | |
|---|---|--|--|
| This water source is (check one) : | | | |
| <input checked="" type="checkbox"/> | The supplier's own water source | | |
| <input type="checkbox"/> | A purchased or imported source | | |
| Compliance Year 2020 | Volume Entering Distribution System ¹ | Meter Error Adjustment ² <i>Optional</i> (+/-) | Corrected Volume Entering Distribution System |
| | 8,025 | - | 8,025 |
| <p>¹ <i>Units of measure (AF, MG , or CCF) must remain consistent throughout the UWMP, as reported in SB X7-7 Table 0 and Submittal Table 2-3.</i></p> <p>² <i>Meter Error Adjustment - See guidance in Methodology 1, Step 3 of Methodologies Document</i></p> | | | |
| NOTES | | | |

SB X7-7 Table 4-B: 2020 Indirect Recycled Water Use Deduction (For use only by agencies that are deducting indirect recycled water)

| 2020 Compliance Year | 2020 Surface Reservoir Augmentation | | | | 2020 Groundwater Recharge | | | Total Deductible Volume of Indirect Recycled Water Entering the Distribution System |
|----------------------|--|------------------------|---|--|--|---|--|---|
| | Volume Discharged from Reservoir for Distribution System Delivery ¹ | Percent Recycled Water | Recycled Water Delivered to Treatment Plant | Transmission/Treatment Loss ¹ | Recycled Volume Entering Distribution System from Surface Reservoir Augmentation | Recycled Water Pumped by Utility ^{1,2} | Transmission/Treatment Losses ¹ | |
| - | 0% | - | - | - | - | - | - | - |

¹ Units of measure (AF, MG, or CCF) must remain consistent throughout the UWMP, as reported in SB X7-7 Table 0 and Submittal Table 2-3.

² Suppliers will provide supplemental sheets to document the calculation for their input into "Recycled Water Pumped by Utility". The volume reported in this cell must be less than total groundwater pumped - See Methodology 1, Step 8, section 2.c.

| |
|--|
| |
|--|

SB X7-7 Table 5: 2020 Gallons Per Capita Per Day (GPCD)

| 2020 Gross Water <i>Fm SB X7-7 Table 4</i> | 2020 Population <i>Fm SB X7-7 Table 3</i> | 2020 GPCD |
|--|---|------------------|
| 7,034 | 59,465 | 106 |

NOTES:

SB X7-7 Table 9: 2020 Compliance

| Actual 2020 GPCD ¹ | Optional Adjustments to 2020 GPCD | | | | | 2020 Confirmed Target GPCD ^{1,2} | Did Supplier Achieve Targeted Reduction for 2020? |
|----------------------------------|--------------------------------------|---------------------------------------|-------------------------------------|-----------------------------------|---|--|---|
| | Enter "0" if Adjustment Not Used | | | TOTAL Adjustments ¹ | Adjusted 2020 GPCD ¹ <i>(Adjusted if applicable)</i> | | |
| | Extraordinary Events ¹ | Weather Normalization ¹ | Economic Adjustment ¹ | | | | |
| 106 | - | - | - | - | 106 | 99 | NO |

¹ All values are reported in GPCD

² **2020 Confirmed Target GPCD** is taken from the Supplier's SB X7-7 Verification Form Table SB X7-7, 7-F.

NOTES: